



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OIL AND GAS MANAGEMENT PROGRAM

DEP USE ONLY	
Site ID	Primary Fac ID
Client	Subfacility Id

Completion Report

Well Information					
If you are submitting this Completion Report attached to the Well Record, you only need to enter the well API # in this section.					
Well Operator Range Resources-Appalachia, LLC	DEP ID# 141142	Well API # (Permit / Reg) 37-125-23909-00	Project Number	Acres 402.0694	
Address 380 Southpointe Blvd, Suite 300		Well Farm Name Engel	Well # #5H	Serial #	
City Canonsburg	State PA	Zip Code 15317	County Washington	Municipality Cecil	
Phone 724-743-6700	Fax 724-743-6490	Email	USGS 7.5 min. quadrangle map Canonsburg		
Check the appropriate submission: <input checked="" type="checkbox"/> Original Completion Report <input type="checkbox"/> Amended Completion Report					

STIMULATION BASE FLUID		
List Water Management Plan Approved Water Source(s) that were used	Water Management Plan ID No.	Volume (Gallons)
1.		
2.		
3.		
4.		
5.		
6.		
Recycled Water Used		2,781,450
Other Base Fluid(s)/Components Used		
1.		
2.		
Total Base Fluid(s)/Components Used		2,781,450

PERFORATION RECORD					
Stage No.	Perforation Date	Stage Perforated From	Stage Perforated To	Perf. Orientation (Vertical, Horizontal, Radial)	Formation
1	7/29/11	9585' MD	9385' MD	Horizontal	Marcellus Shale
2	8/24/11	9285' MD	9085' MD	Horizontal	Marcellus Shale
3	8/25/11	8985' MD	8785' MD	Horizontal	Marcellus Shale
4	8/25/11	8685' MD	8485' MD	Horizontal	Marcellus Shale
5	8/26/11	8385' MD	8185' MD	Horizontal	Marcellus Shale
6	8/27/11	8085' MD	7885' MD	Horizontal	Marcellus Shale
7	8/29/11	7785' MD	7585' MD	Horizontal	Marcellus Shale
8	8/30/11	7485' MD	7285' MD	Horizontal	Marcellus Shale
9	8/30/11	7185' MD	6985' MD	Horizontal	Marcellus Shale
10				Horizontal	Marcellus Shale
11				Horizontal	Marcellus Shale
12				Horizontal	Marcellus Shale

STIMULATION INFORMATION (WELL)

Open Flow Production: Omc/d @ 24hrs pos treatment	24 Hr. Open Flow Production: Omc/d @ 24hrs pos treatment	24 Hr. Shut-in Pressure: N/A @ 24hrs post treatment	Flow Back Date:
--	---	--	-----------------

STIMULATION INFORMATION (STAGE)


Complete a separate record for each stimulation stage. (Please insert additional copies of this page for additional stages).

Stage No.: 1	Stimulation Date: 8/24/11	Pump Rate: 68.5
Pressure (psi): 6691	Shut-in Surface Pressure: 3904	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 301,138	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 2	Stimulation Date: 8/25/11	Pump Rate: 70.4
Pressure (psi): 7139	Shut-in Surface Pressure: 3839	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 304,737	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 3	Stimulation Date: 8/25/11	Pump Rate: 67.6
Pressure (psi): 6989	Shut-in Surface Pressure: 3951	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 302,258	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 4	Stimulation Date: 8/26/11	Pump Rate: 66.4
Pressure (psi): 6731	Shut-in Surface Pressure: 4009	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 300,800	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 5	Stimulation Date: 8/27/11	Pump Rate: 70.2
Pressure (psi): 7058	Shut-in Surface Pressure: 4091	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 302,305	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 6	Stimulation Date: 8/29/11	Pump Rate: 69
Pressure (psi): 7000	Shut-in Surface Pressure: 3892	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 302,152	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 7	Stimulation Date: 8/29/11	Pump Rate: 70.3
Pressure (psi): 6787	Shut-in Surface Pressure: 3951	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 303,139	Propping Agent Size: 100 Mesh 30/50 Mesh

WELL SERVICE COMPANIES (Provide the name, address, and telephone number of all well service companies involved.)

Name	Name	Name
Frac Tech	Multi-Chem	CDK Perforating
Address 16858 IH20	Address 200 Detroit Street	Address 427 Half Moon Way
City - State - Zip Cisco, TX 76437	City - State - Zip Washington, PA	City - State - Zip Runaway Bay, TX 76426
Phone 817-850-1008	Phone 325-486-7489	Phone 940-577-4300

I do hereby certify to the best of my knowledge, information and belief that the information contained on this Completion Report is true and correct. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator's Signature  Title: Completion Engineer: Rodney Archibeque Date: 9/19/2011	Reviewed by: _____ Date: _____	DEP USE ONLY
	Comments: _____	

STIMULATION INFORMATION (STAGE- Continued)

Complete a separate record for each stimulation stage. (Please insert additional copies of this page for additional stages).

Stage No.: 8	Stimulation Date: 8/30/11	Pump Rate: 63.1
Pressure (psi): 6684	Shut-in Surface Pressure: 3922	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 302,009	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 9	Stimulation Date: 8/31/11	Pump Rate: 67.7
Pressure (psi): 6862	Shut-in Surface Pressure: 3827	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount: 300,602	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 10	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 11	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 12	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 13	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 14	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 15	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 16	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh
Stage No.: 17	Stimulation Date:	Pump Rate:
Pressure (psi):	Shut-in Surface Pressure:	5 Minute Shut-in Surface Pressure: N/A
Propping Agent Type: Sand	Propping Agent Amount:	Propping Agent Size: 100 Mesh 30/50 Mesh



RANGE RESOURCES


Engle Unit #5H
Well API: 3712523909

Completion Date: 08/31/11
Township: Cecil

% Composition of Hydraulic Fracture Fluid (by volume)

Product Name	Additive	Purpose	Use and Dillution	Volume	Overall %	Common Uses
Water	Carrier Fluid	Creates fracture network in shale and carry proppant to the formation	Primary constituent	2,779,095 gal	95.66%	Water is the most abundant molecule on the Earth's surface
Sand	Sand	Allows fractures to remain open so gas can escape	Second most common constituent, making up almost 6% of the fluid	122,905 gal	4.23%	Drinking water filtration, play sand
FRW-300	Friction Reducer	Reduces friction between fluid and pipe	Diluted at one-half gallon per 1,000 gallons of water	0,918 gal	0.03%	Water treatment; soil conditioner; some children's toys
MC B-8650/B-8520	Antimicrobial Agent	Eliminates bacteria in the water that produce corrosive byproducts	Diluted at one-half gallon per 1,000 gallons of water	0,770 gal	0.03%	Water treatment, disinfectant; sterilize medical and dental equipment and surfaces
MX 588-2	Scale Inhibitor	Prevents scaling in pipe	Diluted at one-tenth gallon per 1,000 gallons of water	0,200 gal	0.01%	Water treatment, household cleaners, de-icing agent
HCL Acid (37%)	Perf Clean-Up	Dissolves cement and minerals to help initiate fractures	177 gallons per stage if required (non-diluted chemicals)	1,241 gal	0.04%	Swimming pool and household cleaner

Composition of Hydraulic Fracture Fluid (by volume)





Composition of Components in Marcellus Shale Hydraulic Fracturing Fluid

RANGE RESOURCES

Common Name & Supplier	Supplier Chemical Name	Common Description	Hazardous Component listed on MSDS	Hazardous Component CAS No.	Purpose	MSDS Component Weight % of Chemical	Gallons MSDS Component in Well	Maximum Concentration of MSDS Component of Total Stage Fluid	
								% Vol	% Weight
7.5% HCl Mixture (FracTech)	37% HCL	concentrated HCl Acid	HCL	7647-01-0	Cleans perforation	37.0%	1240.66	0.0427%	0.0175%
	CI-100	Corrosion Inhibitor	Methanol	67-56-1	Protects casing	95.0%	14.44	0.0005%	0.0004%
			Propargyl Alcohol	107-19-7	Protects casing	5.0%	0.62	0.0000%	0.0000%
	NE100	Non- Emulsifer	No hazardous ingredients	N/A	Prevents emulsions	0.0%	N/A	N/A	N/A
FE100L	Iron Chelator	No hazardous ingredients	N/A	Prevents precipitation	0.0%	N/A	N/A	N/A	
							TOTAL	0.0432%	0.0179%

Friction Reducer (FracTech)	FRW-300	Friction Reducer	No hazardous ingredients	N/A	Reduce friction down casing	0.0%	N/A	N/A	N/A
------------------------------------	---------	------------------	--------------------------	-----	-----------------------------	------	-----	-----	-----

Scale Inhibitor (Multichem)	MX 588-2	Scale Inhibitor	No hazardous ingredients	N/A	prevents scale deposits	0.0%	N/A	N/A	N/A
------------------------------------	----------	-----------------	--------------------------	-----	-------------------------	------	-----	-----	-----

Antibacterial Agent (Multichem)	MC B-8520	Antibacterial Agent	4,4-Dimethyloxazolidine	51200-87-4	eliminates bacteria in water	78.0%	423.06	0.0146%	0.0137%
			3,4,4-Trimethyloxazolidine	75673-43-7		5.0%	27.69	0.0010%	0.0009%
			2-Amino-2-methyl-1-propanol	124-68-5		1.0%	5.80	0.0002%	0.0002%
			Formaldehyde Amine	56652-26-7		0.5%	2.53	0.0001%	0.0001%
	MC B-8650	Antibacterial Agent	Glutaraldehyde	111-30-8	eliminates bacteria in water	50.0%	79.44	0.0027%	0.0038%
			Methanol	67-56-1		0.5%	0.79	0.0000%	0.0000%
							TOTAL	0.0186%	0.0187%

SUMMARY	by vol %	by weight %
	0.062%	0.037%